



دائرة الإحصاءات العامة
ملحق رقم (1) للعطاء رقم (2025/3)
عطاء تطوير نظام النسخ الاحتياطي

الاستفسارات والردود:

➤ (Backup Appliance) وحدات تخزين للنسخ الاحتياطي:

- Question: We can propose Purpose built backup appliance with the storage and backup software installed inside it, this will offer one single point of contact for the backup software and the hardware, will this be acceptable?
- Answer: No, Not Acceptable.

- Question: Our PBBA doesn't support the other backup vendors, only ours, will this be acceptable?
- Answer: No, Not Acceptable, as mentioned on tender document "Should integrate with all major backup software players such as Veeam, Dell EMC networker, Veritas NetBackup and Commvault."

➤ (Backup Software) برمجية النسخ الاحتياطي :

- Question: What's the front-end size for the 60 Vms?
- Answer: as mentioned on tender document "License must cover up to 60 Machines physical or virtual / with **16TB usable capacity** for Each appliance (Main & DR)."

- Question: Does DOS have an existing Proxmox environment?
- Answer: Yes, Backup software must support backup and restore of Proxmox environment.

➤ إضافة المواصفة التالية إلى برمجية النسخ الاحتياطي (Backup Software)

- Backup Software Must support S3 compatible feature.

➤ موعد إيداع العروض وفتحها.

- تم تمديد موعد إغلاق العطاء (آخر موعد لإيداع العروض وفتحها) ليصبح الساعة الثالثة من ظهر يوم الأحد الموافق 2025/10/26 وتمديد آخر موعد لشراء نسخ العطاء الى نهاية دوام يوم الخميس 2025/10/23.

****يعتبر هذا الملحق جزء لا يتجزأ من وثيقة العطاء رقم (2025/3)****

د. حيدر فريجات

مدير عام دائرة الإحصاءات العامة

رئيس لجنة الشراء الخاصة